

Table of Contents

VOLUME 93 (EMG & Motor Control), 1994

MAIN ARTICLES

| | |
|---|-----|
| Repetitive discharge due to self-ephaptic excitation of a motor unit G. Roth (Switzerland) | 1 |
| Influence of visual and somatosensory input on leg EMG responses in dynamic posturography in normals D. Timmann, C. Belting, M. Schwarz and H.C. Diener (FRG) | 7 |
| Repetitive magnetic nerve stimulation: technical considerations and clinical use in the assessment of neuromuscular transmission C. Bischoff, J. Machetanz, B.-U. Meyer and B. Conrad (Germany) | 15 |
| The polarity of the induced electric field influences magnetic coil inhibition of human visual cortex: implications for the site of excitation V.E. Amassian, P.J. Maccabee, R.Q. Cracco, J.B. Cracco, M. Somasundaram, J.C. Rothwell, L. Eberle, K. Henry and A.P. Rudell (USA, UK) | 21 |
| Cerebro-cerebellar interactions in man: neurophysiological studies in patients with focal cerebellar lesions V. Di Lazzaro, M. Molinari, D. Restuccia, M.G. Leggio, R. Nardone, D. Fogli and P. Tonali (Italy) | 27 |
| Evaluation of the motor and sensory components of the pudendal nerve V. Loening-Baucke, N.W. Read, T. Yamada and A.T. Barker (USA, UK) | 35 |
| Non-invasive differentiation of motor cortical representation of hand muscles by mapping of optimal current directions A. Pascual-Leone, L.G. Cohen, J.P. Brasil-Neto and M. Hallett (USA) | 42 |
| Task-dependent modulation of short- and long-latency electromyographic responses in upper limb muscles V. Dietz, M. Discher and M. Trippel (FRG) | 49 |
| Conduction pathways and generators of magnetic evoked spinal cord potentials: a study in monkeys H. Kitagawa and A.R. Möller (Japan, USA) | 57 |
| In vitro evaluation of a 4-leaf coil design for magnetic stimulation of peripheral nerve B.J. Roth, P.J. Maccabee, L.P. Eberle, V.E. Amassian, M. Hallett, J. Cadwell, G.D. Anselmi and G.T. Tatarian (USA) | 68 |
| Intramuscular potential changes caused by the presence of the recording EMG needle electrode D.F. Stegeman, T.H.J.M. Gootzen, M.M.H.J. Theeuwen and H.J.M. Vingerhoets (The Netherlands) | 81 |
| The effects of skinfold thickness on the selectivity of surface EMG E.J. De la Barrera and T.E. Milner (Canada) | 91 |
| Assessment of human motor unit twitches - a comparison of spike-triggered averaging and intramuscular microstimulation A. Kossev, J.M. Elek, K. Wohlfarth, M. Schubert, R. Dengler and W. Wolf (Germany) | 100 |
| Agonist and antagonist EMG activation during isometric torque development at the elbow in spastic hemiparesis S.J. Fellows, C. Kaus, H.F. Ross and A.F. Thilmann (Germany) | 106 |
| Magnetic transcranial and electrical stylomastoid stimulation of the facial motor pathways in Bell's palsy: time course and relevance of electrophysiological parameters F.X. Glocker, M.R. Magistris, K.M. Rösler and C.W. Hess (Switzerland) | 113 |
| Origin of the facial long latency responses elicited by magnetic stimulation I. Rimpiläinen (Finland, Sweden) | 121 |
| Reliability of transcranial magnetic stimulation for mapping the human motor cortex P. Mortifee, H. Stewart, M. Schulzer and A. Eisen (Canada) | 131 |
| The effect of magnetic coil orientation on the latency of surface EMG and single motor unit responses in the first dorsal interosseous muscle K.J. Werhahn, J.K.Y. Fong, B.-U. Meyer, A. Priori, J.C. Rothwell, B.L. Day and P.D. Thompson (UK) | 138 |
| The time constants of motor and sensory peripheral nerve fibers measured with the method of latent addition M. Panizza, J. Nilsson, B.J. Roth, J. Rothwell and M. Hallett (Italy, USA, UK) | 147 |
| Fasciculation potentials in foot and leg muscles of healthy young adults A. Van der Heijden, F. Spaans and J. Reulen (The Netherlands) | 163 |
| Early detection of distal symmetrical polyneuropathy during HIV infection by paired stimulation of sural nerve I.W. Husstedt, K.H. Grottemeyer, H. Busch and W. Zidek (Germany) | 169 |
| Quantitative surface EMG of pericranial muscles. Relation to age and sex in a general population R. Jensen and A. Fuglsang-Frederiksen (Denmark) | 175 |
| Quantitative EMG analysis of anticipatory postural adjustments of voluntary contraction of leg muscles in standing man T. Kasai and K. Kawai (Japan) | 184 |
| The effects of signal conditioning on the statistical analyses of gait EMG R.H. Gabel and R.A. Brand (USA) | 188 |
| Normalization of soleus H-reflex recruitment curves in controls and a population of spastic patients A.A.J. Hilgevoord, J.H.T.M. Koelman, L.J. Bour and B.W. Ongerboer de Visser (The Netherlands) | 202 |
| Neural modulation of muscle contractile properties during fatigue: afferent feedback dependence C.T. Leonard, J. Kane, J. Perdaems, C. Frank, D.G. Graetzer and T. Moritani (USA, Japan) | 209 |

Table of Contents

VOLUME 93 (EMG & Motor Control), 1994

MAIN ARTICLES

| | |
|---|-----|
| Repetitive discharge due to self-ephaptic excitation of a motor unit G. Roth (Switzerland) | 1 |
| Influence of visual and somatosensory input on leg EMG responses in dynamic posturography in normals D. Timmann, C. Belting, M. Schwarz and H.C. Diener (FRG) | 7 |
| Repetitive magnetic nerve stimulation: technical considerations and clinical use in the assessment of neuromuscular transmission C. Bischoff, J. Machetanz, B.-U. Meyer and B. Conrad (Germany) | 15 |
| The polarity of the induced electric field influences magnetic coil inhibition of human visual cortex: implications for the site of excitation V.E. Amassian, P.J. Maccabee, R.Q. Cracco, J.B. Cracco, M. Somasundaram, J.C. Rothwell, L. Eberle, K. Henry and A.P. Rudell (USA, UK) | 21 |
| Cerebro-cerebellar interactions in man: neurophysiological studies in patients with focal cerebellar lesions V. Di Lazzaro, M. Molinari, D. Restuccia, M.G. Leggio, R. Nardone, D. Fogli and P. Tonali (Italy) | 27 |
| Evaluation of the motor and sensory components of the pudendal nerve V. Loening-Baucke, N.W. Read, T. Yamada and A.T. Barker (USA, UK) | 35 |
| Non-invasive differentiation of motor cortical representation of hand muscles by mapping of optimal current directions A. Pascual-Leone, L.G. Cohen, J.P. Brasil-Neto and M. Hallett (USA) | 42 |
| Task-dependent modulation of short- and long-latency electromyographic responses in upper limb muscles V. Dietz, M. Discher and M. Trippel (FRG) | 49 |
| Conduction pathways and generators of magnetic evoked spinal cord potentials: a study in monkeys H. Kitagawa and A.R. Möller (Japan, USA) | 57 |
| In vitro evaluation of a 4-leaf coil design for magnetic stimulation of peripheral nerve B.J. Roth, P.J. Maccabee, L.P. Eberle, V.E. Amassian, M. Hallett, J. Cadwell, G.D. Anselmi and G.T. Tatarian (USA) | 68 |
| Intramuscular potential changes caused by the presence of the recording EMG needle electrode D.F. Stegeman, T.H.J.M. Gootzen, M.M.H.J. Theeuwen and H.J.M. Vingerhoets (The Netherlands) | 81 |
| The effects of skinfold thickness on the selectivity of surface EMG E.J. De la Barrera and T.E. Milner (Canada) | 91 |
| Assessment of human motor unit twitches - a comparison of spike-triggered averaging and intramuscular microstimulation A. Kossev, J.M. Elek, K. Wohlfarth, M. Schubert, R. Dengler and W. Wolf (Germany) | 100 |
| Agonist and antagonist EMG activation during isometric torque development at the elbow in spastic hemiparesis S.J. Fellows, C. Kaus, H.F. Ross and A.F. Thilmann (Germany) | 106 |
| Magnetic transcranial and electrical stylomastoid stimulation of the facial motor pathways in Bell's palsy: time course and relevance of electrophysiological parameters F.X. Glocker, M.R. Magistris, K.M. Rösler and C.W. Hess (Switzerland) | 113 |
| Origin of the facial long latency responses elicited by magnetic stimulation I. Rimpiläinen (Finland, Sweden) | 121 |
| Reliability of transcranial magnetic stimulation for mapping the human motor cortex P. Mortifee, H. Stewart, M. Schulzer and A. Eisen (Canada) | 131 |
| The effect of magnetic coil orientation on the latency of surface EMG and single motor unit responses in the first dorsal interosseous muscle K.J. Werhahn, J.K.Y. Fong, B.-U. Meyer, A. Priori, J.C. Rothwell, B.L. Day and P.D. Thompson (UK) | 138 |
| The time constants of motor and sensory peripheral nerve fibers measured with the method of latent addition M. Panizza, J. Nilsson, B.J. Roth, J. Rothwell and M. Hallett (Italy, USA, UK) | 147 |
| Fasciculation potentials in foot and leg muscles of healthy young adults A. Van der Heijden, F. Spaans and J. Reulen (The Netherlands) | 163 |
| Early detection of distal symmetrical polyneuropathy during HIV infection by paired stimulation of sural nerve I.W. Husstedt, K.H. Grottemeyer, H. Busch and W. Zidek (Germany) | 169 |
| Quantitative surface EMG of pericranial muscles. Relation to age and sex in a general population R. Jensen and A. Fuglsang-Frederiksen (Denmark) | 175 |
| Quantitative EMG analysis of anticipatory postural adjustments of voluntary contraction of leg muscles in standing man T. Kasai and K. Kawai (Japan) | 184 |
| The effects of signal conditioning on the statistical analyses of gait EMG R.H. Gabel and R.A. Brand (USA) | 188 |
| Normalization of soleus H-reflex recruitment curves in controls and a population of spastic patients A.A.J. Hilgevoord, J.H.T.M. Koelman, L.J. Bour and B.W. Ongerboer de Visser (The Netherlands) | 202 |
| Neural modulation of muscle contractile properties during fatigue: afferent feedback dependence C.T. Leonard, J. Kane, J. Perdaems, C. Frank, D.G. Graetzer and T. Moritani (USA, Japan) | 209 |

| | |
|--|-----|
| Relationship between force and electromyographic activity during rapid isometric contraction in power grip M. Suzuki, Y. Yamazaki and K. Matsunami (Japan) | 218 |
| Motor cortex inhibition in patients with ataxia Y. Ugawa, R. Hanajima and I. Kanazawa (Japan) | 225 |
| Differentiation of sensorimotor neuronal structures responsible for induction of motor evoked potentials, attenuation in detection of somatosensory stimuli, and induction of sensation of movement by mapping of optimal current directions A. Pascual-Leone, L.G. Cohen, J.P. Brasil-Neto, J. Valls-Solé and M. Hallett (USA) | 230 |
| Quantitative analysis of the compound muscle action potential in early acute inflammatory demyelinating polyneuropathy P.D. Clouston, L. Kiers, G. Zuniga and D. Cros (USA) | 245 |
| Quantitative studies of F responses in Guillain-Barré syndrome and chronic inflammatory demyelinating polyneuropathy L. Kiers, P. Clouston, G. Zuniga and D. Cros (USA) | 255 |
| Short-latency neck muscle responses to vertical body tilt in normal subjects and in patients with spasmodic torticollis L. Mazzini and M. Schieppati (Italy) | 265 |
| H reflexes as a measure for uremic polyneuropathy. A longitudinal study in patients treated with dialysis or renal transplantation A.W. De Weerd, J. Nihom, C.A.M. Rozeman, D.C.J. Poortvliet, E.J. Jonkman, A.P.C. Van der Maas and Y.I. Tjandra (The Netherlands) | 276 |
| H reflex studies in neurolathyrism U.K. Misra and C.M. Pandey (India) | 281 |
| The limits of equilibrium in young and elderly normal subjects and in parkinsonians M. Schieppati, M. Hugon, M. Grasso, A. Nardone and M. Galante (Italy, France) | 286 |
| Comparison of two techniques to measure the motor nerve refractory period distribution M.W.M.M. Ruijten, H.J.A. Sallé and R. Kingma (The Netherlands) | 299 |
| Motor nerve refractory period distribution assessed by two techniques in diabetic polyneuropathy M.W.M.M. Ruijten, G.-J. De Haan, R.P.J. Michels, A. Pruijs-Brands, B.W. Ongerboer de Visser and M.M. Verberk (The Netherlands) | 306 |
| Pattern of motor evoked response to repetitive transcranial magnetic stimulation F. Valzania, R. Quatralé, A.P. Strafella, R. Bombardi, M. Santangelo, C.A. Tassinari and D. De Grandis (Italy) | 312 |
| Cervical magnetic stimulation in children and adolescents: normal values and evaluation of the proximal lesion of the peripheral motor nerve in cases with polyradiculoneuropathy Y. Maegaki, M. Inagaki and K. Takeshita (Japan) | 318 |
| Electromyographic single motor unit potentials after repeated botulinum toxin treatments in cervical dystonia T. Obergren, A. Tollbäck and J. Borg (Sweden) | 325 |
| Sensory neural conduction of median nerve from digits and palm stimulation in carpal tunnel syndrome S. Rossi, F. Giannini, S. Passero, C. Paradiso, N. Battistini and R. Cioni (Italy) | 330 |
| Quantitative surface EMG of pericranial muscles in headache. A population study R. Jensen, A. Fuglsang-Frederiksen and J. Olesen (Denmark) | 335 |
| Muscle sympathetic nerve activity during apneic episodes in patients with obstructive sleep apnea syndrome T. Shimizu, Y. Takahashi, S. Kogawa, K. Takahashi, T. Kanbayashi, Y. Saito and Y. Hishikawa (Japan) | 345 |
| Evidence for further recruitment of group I fibres with high stimulus intensities when using surface electrodes in man J.M. Gracies, E. Pierrot-Deseilligny and G. Robain (France) | 353 |
| Finding the depth of magnetic brain stimulation: a re-evaluation D. Rudiak and E. Marg (USA) | 358 |
| Reduction of corticospinal excitability by magnetic stimulation over the cerebellum in patients with large defects of one cerebellar hemisphere B.-U. Meyer, S. Röricht and J. Machetanz (FRG) | 372 |
| Event-related desynchronization and movement-related cortical potentials on the ECoG and EEG C. Toro, G. Deuschl, R. Thatcher, S. Sato, C. Kufta and M. Hallett (USA) | 380 |
| 8-12 Hz rhythmic oscillations in human motor cortex during two-dimensional arm movements: evidence for representation of kinematic parameters C. Toro, C. Cox, G. Frihs, C. Ojakangas, R. Maxwell, J.R. Gates, R.J. Gummit and T.J. Ebner (USA) | 390 |
| Responses in neck and facial muscles to sudden free fall and a startling auditory stimulus A.R. Bisdorff, A.M. Bronstein and M.A. Gresty (UK) | 409 |
| Facilitation and disfacilitation of muscle responses after repetitive transcranial cortical stimulation and electrical peripheral nerve stimulation D. Claus and C. Brunhölzl (Germany) | 417 |
| Responses of the soleus muscle to transcranial magnetic stimulation J. Valls-Solé, R. Alvarez and E.S. Tolosa (Spain) | 421 |
| Effects of diphenylhydantoin on motor potentials evoked with magnetic stimulation N. Mavroudakis, J.M. Caroyer, E. Brunko and D. Zegers de Beyl (Belgium) | 428 |
| Quantitative EMG in botulinum toxin treatment of cervical dystonia. A double-blind, placebo-controlled study L. Østergaard, A. Fuglsang-Frederiksen, L. Werdelin, O. Sjö and H. Winkel (Denmark) | 434 |
| Independence of soleus H-reflex tests in control and spastic subjects shown by principal components analysis R.B. Willemsse, J.H.T.M. Koelman, L.J. Bour and B.W. Ongerboer de Visser (The Netherlands) | 440 |
| Conduction abnormalities detected by silent period testing A.A. Leis (USA) | 444 |
| The problem of bimanual coupling: a reaction time study of simple unimanual and bimanual finger responses P. Kaluzny, A. Palmeri and M. Wiesendanger (Switzerland) | 450 |

| | |
|---|-----|
| Visualization of a moving quadrupole with magnetic measurements of peripheral nerve action fields I. Hashimoto, T. Mashiko, T. Mizuta, T. Imada, K. Iwase and H. Okazaki (Japan) | 459 |
|---|-----|

SHORT COMMUNICATIONS

| | |
|---|-----|
| Standardization of facilitation of compound muscle action potentials using a modified myometer during magnetic stimulation in healthy volunteers J.F. Nielsen (Denmark) | 75 |
| Differences in the handling of the EMG examination at seven European laboratories B. Johnsen, A. Fuglsang-Frederiksen, S. Vingtoft, P. Fawcett, R. Liguori, W. Nix, G. Otte, J. Proença, I. Schofield, G. Sieben, M. Veloso and A. Vila (Denmark, UK, Italy, Germany, Belgium, Portugal, France) | 155 |
| Medial (cutaneous) branch of deep common peroneal nerve: recording technique and a case report S. Ponsford (UK) | 159 |
| A new method to determine pudendal nerve motor latency and central motor conduction time to the external anal sphincter W.H. Jost and K. Schimrigk (Germany) | 237 |
| Blink reflex far fields mimicking putative cortical trigeminal evoked potentials M. Leandri, R. Schizzi and E. Favale (Italy) | 240 |
| Masseter silent period: a study of magnetic stimulation Y.-Y. Lin, K.-K. Liao, S.-J. Wang, S. Tang, C.-P. Tsai and Z.-A. Wu (Taiwan) | 404 |

BOOK REVIEWS

| | |
|---|-----------------------------|
| Focal peripheral neuropathies, 2nd edition by J.D. Stewart | 161 |
| Anatomic localization for needle electromyography by S.R. Geiringer | 161 |
| Electrical and magnetic stimulation of the brain and spinal cord. Advances in neurology, Vol. 63 edited by O. Devinsky, A. Beric and M. Dogali | 243 |
| <i>IFCN Announcement</i> | iii |
| <i>Announcement from the Publisher</i> | 80, 162, 244, 324, 407, 468 |
| <i>Index of Authors to Volume 93 (1994)</i> | 469 |
| <i>Index of Subjects to Volume 93 (1994)</i> | 473 |
| <i>Table of Contents to Volume 93 (1994)</i> | 478 |

